

[2017-New-DumpsFree SK0-004 VCE Dumps Offered by Braindump2go[91-100

2017 November New SK0-004 Exam Dumps with PDF and VCE Free Updated Today! Following are some new SK0-004

Questions:1.[2017 New SK0-004 Exam Dumps (PDF & VCE) 389Q&As Download:

<https://www.braindump2go.com/sk0-004.html>2.[2017 New SK0-004 Exam Questions & Answers Download:

<https://drive.google.com/drive/folders/0B75b5xYLjSSNUnJPWUVGcEVLREk?usp=sharing>QUESTION 91 Which of the following graphically depicts the movement of information within a system?A. Site survey diagramB. Dataflow diagramC. Architectural diagramD. Network diagramAnswer: BQUESTION 92 A system administrator has just performed a backup. Which of the following should the administrator perform to easily identify the backup tape?A. Label the tapeB. Mount the tape in the driveC. Place the tape in the rackD. Update the site logAnswer: AQUESTION 93 A technician is tasked with creating a test system containing non-critical data. The technician has limited hardware, but needs maximum performance. Which of the following RAID levels should the technician use?A. 0B. 1C. 5D. 10Answer: AQUESTION 94 An older server has performance problems writing files to a RAID array. After checking for failed drives, no problems are found. Which of the following should be checked NEXT?A. The cooling systemB. The cache batteryC. The hard drive trayD. The hard drive cablesAnswer: BQUESTION 95 Which of the following factors would cause a technician to select a hard drive over an SSD as a primary storage medium?A. SpeedB. Power consumptionC. Form factorD. CostAnswer: DQUESTION 96 Which of the following describes a rack mounted server that is 2 rack units (2U) in height?A. 2.5 inches (6.35 cm)B. 3.0 inches (7.62 cm)C. 3.5 inches (8.89 cm)D. 4.0 inches (10.16 cm)Answer: CQUESTION 97 Which of the following describes an alternate site where only the infrastructure (building, power, cooling) has been established?A. Mirror siteB. Warm siteC. Hot siteD. Cold siteAnswer: DQUESTION 98 An administrator has a UPS rated at 200 amps per hour. Which of the following is the maximum runtime of this UPS when hooked up to a server drawing 400 amps per hour?A. 15 minutesB. 30 minutesC. 60 minutesD. 120 minutesAnswer: BQUESTION 99 A technician is tasked by an administrator to patch a virtual machine. The technician needs to ensure that in case of failure, recovery of the virtual machine will be possible. Which of the following recovery principles should the technician employ?A. IncrementalB. SnapshotC. Bare metalD. SelectiveAnswer: BQUESTION 100 An administrator would like to determine what port and services are running locally on a server. Which of the following Windows command lines and shell tools should the administrator use? (Select THREE).A. get-servicesB. show portsC. sc queryD. netstatE. vmstatF. show servicesAnswer: ACD

!!!RECOMMEND!!!1.[2017 New SK0-004 Exam Dumps (PDF & VCE) 389Q&As Download:

<https://www.braindump2go.com/sk0-004.html>2.[2017 New SK0-004 Study Guide Video: YouTube Video:

[YouTube.com/watch?v=_Jcljlu3vpI](https://www.youtube.com/watch?v=_Jcljlu3vpI)